

# **EXPRESS SERVICE**

## Mini 1.0 Technical Specifications

*May 12th 2020.*

# Contents

<b>Contents</b>	<b>2</b>
<b>Safety Information</b>	<b>4</b>
<b>Support</b>	<b>5</b>
Contact Information	5
<b>Technical Specifications (Mini 1.0)</b>	<b>6</b>



# Safety Information



**Shock hazard! Do not attempt to service the kiosk.** Only Storm Kiosks technicians or certified vendors may service the kiosk.

**Be careful when moving the kiosk.** The unit is extremely heavy and can cause injury when not correctly moved; please seek guidance prior to moving.

**Do not unplug or power down the kiosk without prior approval.** The kiosk is designed to be operated 24/7. Do not unplug or power down the unit without prior approval from Storm Kiosks. Doing so may reduce the reliability of the kiosk and may incur additional support charges.

**Do not use sharp instruments on the touch screen.** The interactive touch screen is designed for use only by touch. Do not use any sharp instruments such as pens or tablet pens.

**Do not expose the kiosk to water.** The kiosk is not waterproof or resistant, exposing any part of the unit to water may result in malfunction, electric shock, injury or corrosion damage.

**Do not block the ventilation panels.** Ensure the panel vents have adequate ventilation and air circulation.

# Support

## Contact Information

Support is available between the hours of **7:30am** Mountain time (9:30am EST) and **5:00pm** Mountain time (7:00pm EST) Monday-Friday.

**Email:**

support@stormkiosks.com

**Web:**

<http://www.stormkiosks.com>

**Toll-Free:**

1.877.808.6290

# Technical Specifications (Mini 1.0)

<b>Display Type</b>	15.6" 10-point touch screen monitor
<b>Display Resolution</b>	1080 x 1920 (Portrait)
<b>Operating System</b>	SK-OS 0.63 or newer
<b>Application</b>	Express Service 0.88.x or newer
<b>Internet Connectivity</b>	1GBPS wired ethernet (recommended) WiFi Support (supports WPA/WPA2) 24/7 Monitoring
<b>LAN Requirements</b>	1 private static/dynamic IP address required
<b>Dimensions</b>	<i>Main 4 door unit:</i> 24" (width) x 14.5" (depth) x 19" (height)  <i>4 door expansion tower:</i> 6" (width) x 14.5" (depth) x 17.5" (height)
<b>Weight</b>	<i>Main 4 door unit:</i> 90lbs (estimated)  <i>4 door expansion tower:</i> 30lbs (estimated)
<b>Payment Terminal/Pinpad</b>	<a href="https://www.stormkiosks.com/payment-options">https://www.stormkiosks.com/payment-options</a>
<b>Payment Gateway Integrations</b>	<a href="https://www.stormkiosks.com/payment-options">https://www.stormkiosks.com/payment-options</a>
<b>Power Requirements</b>	110-120 AC (Draw approx. 300 watts). Dedicated 15 amp circuit recommended.
<b>Lock Boxes</b>	4 internal lock-boxes, holding force up to 800 N each.
<b>Expansion</b>	Additional 4 lock-box tower available
<b>Service access</b>	Physical secure access via locked rear panel Software access via PIN-authenticated interface and web-based interface.